

## INSYNCH FUEL OPTIMISERS

<u>ILLUSTRATION</u>	<u>MODEL</u>	<u>PIPE SIZE</u>	<u>DESCRIPTION / APPLICATION</u>	<u>WEIGHT</u>
	AFS-A	¼" – ½"	<ul style="list-style-type: none"> <li>• Can be installed with back plate for tight spaces</li> </ul>	¾ lb.
	AFS-R(HD)	½" – 1"	<ul style="list-style-type: none"> <li>• Heavy Duty (Extra Strength Model)</li> <li>• Gas line for hot water tank</li> <li>• Also works on BBQ, forklifts, propane, Zamboni, ice clearing</li> </ul>	3 lb.
	AFS-1	1" – 1¾"	Works well on box heaters, tube heaters, pools, infrared, fan, gas furnace, ovens, rooftop HVAC units	1 lb.
	AFS-1D	1" – 1¾"	<ul style="list-style-type: none"> <li>• Works with same size as AFS-1 but has two collars combined into one unit for convenience</li> <li>• Works well with boilers, gas dryers, ovens, stoves, ranges, pizza ovens, gas ovens &amp; fryers</li> </ul>	4 lb.
	AFS-2	2" – 2 ½"	Works well on boilers, industrial dryers, backup generators, green houses, corn dryers & water heaters	6 lb.



AFS-3

3"

Works well with green houses

8 lb.



AFS-4

4"

Works well with asphalt plants and large manufacturing plants

15 lb.



AFS-6

6"

Works well with asphalt plants and large manufacturing plants

20 lb.



AFS-8

8"

Special applications

24 lb.

---

Insynch Energy Services  
[www.insynchenergy.co.uk](http://www.insynchenergy.co.uk)

---